

ELEMENTI®
THE ART OF LIVING

ELEMENTI INDUSTRIAL (XIAMEN) CO., LTD.
OCEAN ROCK GLOBAL TRADING (XIAMEN) CO., LTD.

www.oceanrockcn.com
E-mail: info@oceanrockcn.com
Tel.: +86 592-6368809

OCEAN ROCK USA INC.
505 E Rincon St., Ste 100 Corona, CA 92879
www.elementifire.com
E-mail: info@elementifire.com
Tel.: +1 951-220-7227



OCEAN ROCK EU GmbH
Bussardweg 6, 41468 Neuss, Germany
www.elementieu.com
E-mail: info@elementieu.com
Tel.: +49 2173-2979 981



2025



ELEMENTI®
ECO-FIRE

OCEANIA SERIES

BIOETHANOL COMBUSTION SYSTEM
INDOOR & OUTDOOR USE
NO SMOKE & ASH
QUICK & EASY INSTALLATION



SYDNEY

ETHANOL FIRE TABLE

ECG01

PRODUCT DESCRIPTION

- Body ConstructionHandcrafted Glass-fiber Reinforced Concrete
- TextureHoned
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationBoth Indoor And Outdoor
- Warranty2 Years



ECG01-SL
Slate Black

Aluminum Lid
ONF05-444DG-S



ECG01-SG
Space Grey

Aluminum Lid
ONF05-444LG-S



ECG01-CW
Cream White

Aluminum Lid
ONF05-444CW-S

Specification	Product		Base Package	
	in.	cm	in.	cm
Length	61.9	157.1	64.8	165
Width	29.8	75.8	32.9	83.5
Height	14	35.6	17.3	44
Weight	182 lbs / 82.4 kgs		210 lbs / 95.4 kgs	



- Standard BurnerIEB -L982
- Burner SizeDia. 38.7 x 10.5 x 4.5in. Dia.[98.2 x 26.6 x 11.5 cm]
- Maximum Capacity7.5L / 2.0 Gal.
- Maximum Heat Output21,000 BTUs / 6.2 kW
- Approx. Burn Time7 Hours

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-030
97x19.5x0.6cm
38.19x7.68x0.24in. x2pcs



Aluminum Lid



Canvas Cover



Siphon Manual Pump



Lighter



Lighting Rod



Repair Grout



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings


PERTH

ETHANOL FIRE TABLE

ECG02

PRODUCT DESCRIPTION


- Body ConstructionHandcrafted Glass-fiber Reinforced Concrete
- TextureHoned
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationBoth Indoor And Outdoor
- Warranty2 Years



ECG02-SL
Slate Black



Aluminum Lid
ONF05-224DG-E



ECG02-SG
Space Grey



Aluminum Lid
ONF05-224LG-E




ECG02-CW
Cream White



Aluminum Lid
ONF05-224CW-E

Specification	Product		Base Package	
	in.	cm	in.	cm
Length	40	101.6	42.7	109
Width	40	101.6	42.7	109
Height	14	35.6	17.3	44
Weight	163 lbs / 73.7 kgs		190 lbs / 86 kgs	



- Standard BurnerIEB-R460
- Burner SizeDia. 18.1 x 3.9 in. [Dia. 46 x 9.9 cm]
- Maximum Capacity8 L / 2.1 Gal.
- Adjustable Ignition System
- Maximum Heat Output43,000 BTUs / 12.5 kW
- Approx. Burn Time3 ~ 7.5 Hours

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-031
46.8x19.5x0.6cm
18.43x7.68x0.24in. x4pcs



Aluminum Lid



Canvas Cover



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid




Repair Grout

OCEANIA SERIES

PRODUCT DESCRIPTION

GFRC
Glass-Fiber Reinforced Concrete.
Eco-friendly materials.
Handcrafted for unique textures.

Quick-Detach Knob
Featuring a quick-detach knob, our design allows for easy detachment of the windscreen, facilitating a seamless transition from fire pit to table with lid in less than one minute.



Stainless Steel Burner
The high-quality, heavy-duty unibody burner, with a 3mm Grade 304 stainless steel top panel, is designed to withstand high temperatures and prolonged burning, ensuring sturdy and durable performance.

Adjustable Ignition System
The flame can be adjusted using the push-pull lid to meet varying needs.



Close





Open

Wind Screen
Shield flames from winds, ensuring steady and safe burning.

Articulating Feet
Made by stainless steel for leveling adjustments.

GFRC
Glass-Fiber Reinforced Concrete.
Eco-friendly materials.
Handcrafted for unique textures.

Quick-Detach Knob
Featuring a quick-detach knob, our design allows for easy detachment of the windscreen, facilitating a seamless transition from fire pit to table with lid in less than one minute.




Stainless Steel Burner
The high-quality, heavy-duty unibody burner, with a 3mm Grade 304 stainless steel top panel, is designed to withstand high temperatures and prolonged burning, ensuring sturdy and durable performance.

Adjustable Ignition System
The lotus-like ignition system can be manually regulated by adding or removing metal plates. Before adjusting the flame to your preference, ensure the burner has cooled down.



Minimum Fire



Medium Fire



Maxmum Fire

Wind Screen
Shield flames from winds, ensuring steady and safe burning.

Articulating Feet
Made by stainless steel for leveling adjustments.

CLASSIC SERIES



BIOETHANOL COMBUSTION SYSTEM
INDOOR & OUTDOOR USE
NO SMOKE & ASH
QUICK & EASY INSTALLATION

MANHATTAN

ETHANOL FIRE TABLE


ECG03

PRODUCT DESCRIPTION

- Body Construction Handcrafted Glass-fiber Reinforced Concrete
- Texture Travertine
- Burner Construction 304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type 95% Ethanol
- Application Both Indoor And Outdoor
- Warranty 2 Years




ECG03-SL
Slate Black
• Bronze Glass
9.9 lbs / 4.5 kgs



ECG03-SG
Slate Black
• Bronze Glass
9.9 lbs / 4.5 kgs

Specification	Product		Base Package	
	in.	cm	in.	cm
Length	36	91.4	38.8	98.5
Width	36	91.4	38.8	98.5
Height	16	40.6	18.7	47.5
Weight	152 lbs / 68.8 kgs		173 lbs / 78.6 kgs	



- Standard Burner IEB-R300
- Burner Size Dia. 11.8 x 4.6 in. [Dia. 30 x 11.7 cm]
- Maximum Capacity 2.6 L / 0.8 Gal.
- Adjustable Ignition System
- Maximum Heat Output 28,000 BTUs / 8.2 kW
- Approx. Burn Time 2 ~ 5 Hours

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-032
39.5x20x0.6cm
15.55x7.87x0.24in.



Glass



Canvas Cover



Siphon Manual Pump



Lighter



Lighting Rod




Extinguish Lid



Repair Grout

•Optional Accessories
(Sold Separately)



Stainless Steel Lid
ONF01-220D



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings


METROPOLIS

ETHANOL FIRE TABLE

ECG04

PRODUCT DESCRIPTION

- Body Construction Handcrafted Glass-fiber Reinforced Concrete
- Texture Travertine
- Burner Construction 304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type 95% Ethanol
- Application Both Indoor And Outdoor
- Warranty 2 Years




ECG04-SL
Slate Black
• Bronze Glass
9.9 lbs / 4.5 kgs



ECG04-SG
Space Grey
• Bronze Glass
9.9 lbs / 4.5 kgs

Specification	Product		Base Package		Wind Screen Package	
	in.	cm	in.	cm	in.	cm
Length	56	142.2	58.7	149	15	38
Width	32	81.3	35	89	15	38
Height	14	35.6	16.7	42.5	13	33
Weight	173 lbs / 78 kgs		199 lbs / 90.5 kgs			



- Standard Burner IEB-R300
- Burner Size Dia. 11.8 x 4.6 in. [Dia. 30 x 11.7 cm]
- Maximum Capacity 2.6 L / 0.8 Gal.
- Adjustable Ignition System
- Maximum Heat Output 28,000 BTUs / 8.2 kW
- Approx. Burn Time 2 ~ 5 Hours

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-033



Glass



Canvas Cover



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Repair Grout

•Optional Accessories (Sold Separately)



Stainless Steel Lid
ONF01-120D

LUNAR BOWL

ETHANOL FIRE TABLE


ECG05

PRODUCT DESCRIPTION

- Body Construction Handcrafted Glass-fiber Reinforced Concrete
- Texture Honed
- Burner Construction 304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type 95% Ethanol
- Application Both Indoor And Outdoor
- Warranty 2 Years



ECG05-SL
Slate Black
• Bronze Glass
9.9 lbs / 4.5 kgs




ECG05-SG
Space Grey
• Bronze Glass
9.9 lbs / 4.5 kgs



ECG05-CW
Cream White
• Blue Glass
9.9 lbs / 4.5 kgs

Specification	Product		1/2 Package Base		2/2 Package Wind Screen	
	in.	cm	in.	cm	in.	cm
Length	42.1	107	44.1	112	19.69	50
Width	42.1	107	44.1	112	9.45	24
Height	15.7	40	18.3	46.5	11.02	28
Weight	155 lbs / 70.4 kgs		168 lbs / 76.3 kgs		15.28 lbs / 6.93 kgs	



- Standard Burner
- Burner Size

IEB-R460
Dia. 18.1 x 3.9 in.
[Dia. 46 x 9.9 cm]
8 L / 2.1 Gal.
• Maximum Capacity
• Adjustable Ignition System
• Maximum Heat Output 43,000 BTUs / 12.5 kW
• Approx. Burn Time 3 ~ 7.5 Hours

•Optional Accessories
(Sold Separately)



Stainless Steel Lid
ONF01-126DE

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-019



Glass



Canvas Cover



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Hauling Cable
ONR01-001



Repair Grout



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

GRANVILLE

ETHANOL FIRE TABLE

ECG06

PRODUCT DESCRIPTION


- Body Construction Handcrafted Glass-fiber Reinforced Concrete
- Texture Honed
- Burner Construction 304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type 95% Ethanol
- Application Both Indoor And Outdoor
- Warranty 2 Years



ECG06-SL
Slate Black



ECG06-SG
Space Grey



ECG06-CW
Cream White

Specification	Product		Base Package	
	in.	cm	in.	cm
Length	60	152.4	62.6	159
Width	27.4	69.5	29.9	76
Height	16.9	43	20.1	51
Weight	202 lbs / 91.5 kgs		226 lbs / 102.7 kgs	



- Standard Burner IEB-L958
- Burner Size Dia. 37.7 x 9.6 x 4.5in. Dia. 95.8 x 24.3 x 11.5 cm
- Maximum Capacity 7.5 L / 2.0 Gal.
- Maximum Heat Output 21,000 BTUs / 6.2 kW
- Approx. Burn Time 7 Hours

Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-034
110x18x0.6cm
43.31x7.09x0.24in. x2pcs




Canvas Cover



Siphon Manual Pump



Lighter



Lighting Rod



Repair Grout

ROCA

ETHANOL FIRE TABLE

ECG07

PRODUCT DESCRIPTION

- Body Construction
 - Texture
 - Burner Construction
 - Fuel Type
 - Application
 - Warranty
- Handcrafted Glass-fiber Reinforced Concrete
Honed
304 Stainless Steel (11 Gauge Grade Top Panel)
95% Ethanol
Both Indoor And Outdoor
2 Years



ECG07-BK
Matte Black
Bronze Glass
9.9 lbs / 4.5 kgs




ECG07-SG
Space Grey
Bronze Glass
9.9 lbs / 4.5 kgs



ECG07-CW
Cream White
Blue Glass
9.9 lbs / 4.5 kgs

Specification	Product		1/2 Package Base		2/2 Package Wind Screen	
	in.	cm	in.	cm	in.	cm
Length	34.3	87	38.6	98	14.2	38
Width	34.3	87	38.6	98	14.2	38
Height	14.6	37	18.5	47	11.02	28
Weight	97 lbs / 43.9 kgs		109.1 lbs / 49.5 kgs		7.72 lbs / 3.5 kgs	



- Standard Burner
 - Burner Size
- IEB-R300
Dia. 11.8 x 4.6 in.
[Dia. 30 x 11.7 cm]
2.6 L / 0.8 Gal.
- Maximum Capacity
 - Adjustable Ignition System
 - Maximum Heat Output
 - Approx. Burn Time
- 28,000 BTUs / 8.2 kW
2 ~ 5 Hours

Optional Accessories
(Sold Separately)



Stainless Steel Lid
ONF01-119DE

Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-033



Glass



Canvas Cover



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Hauling Cable
ONR01-004



Repair Grout



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

AURORA

ETHANOL FIRE TABLE

ECG08

PRODUCT DESCRIPTION

- Body ConstructionHandcrafted Glass-fiber Reinforced Concrete
- TextureHoned
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationBoth Indoor And Outdoor
- Warranty2 Years

Available Colors:



ECG08-BK
Matte Black
Bronze Glass
9.9 lbs / 4.5 kgs





ECG08-SG
Space Grey
Bronze Glass
9.9 lbs / 4.5 kgs



ECG08-CW
Cream White
Blue Glass
9.9 lbs / 4.5 kgs



Specification	Product		Base Package	
	in.	cm	in.	cm
Length	33.9	86	37.4	95
Width	33.9	86	37.4	95
Height	14.4	36.5	17.3	44
Weight	114 lbs / 51.5 kgs		152 lbs / 69 kgs	



- Standard BurnerIEB-R300
- Burner SizeDia. 11.8 x 4.6 in. [Dia. 30 x 11.7 cm]
- Maximum Capacity2.6 L / 0.8 Gal.
- Adjustable Ignition System
- Maximum Heat Output28,000 BTUs / 8.2 kW
- Approx. Burn Time2 ~ 5 Hours

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-032
39.5x20x0.6cm
15.55x7.87x0.24in. x4pcs



Glass



Canvas Cover



Siphon Manual Pump



Lighter



Lighting Rod




Extinguish Lid



Repair Grout

•Optional Accessories (Sold Separately)



Stainless Steel Lid
ONF01-220DS

AEGEAN

ETHANOL FIRE TABLE

ECG11

PRODUCT DESCRIPTION

- Body Construction Handcrafted Glass-fiber Reinforced Concrete
- Texture Honed
- Burner Construction 304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type 95% Ethanol
- Application Both Indoor And Outdoor
- Warranty 2 Years

Available Colors:



ECG11-BB
Bulgarla Black
Bronze Glass
9.9 lbs / 4.5 kgs



ECG11-BW
Bianco White
Blue Glass
9.9 lbs / 4.5 kgs



Porcelain Lid
ONF06-101BB



Porcelain Lid
ONF06-101BW

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-032
39.5x20x0.6cm
15.55x7.87x0.24in.

x4pcs



Glass



Porcelain Lid



Canvas Cover



Siphon Manual Pump



Lighter




Lighting Rod



Extinguish Lid




Repair Grout



Lid Drawer



Specification	Product		Base Package	
	in.	cm	in.	cm
Length	34.6	88	38.2	97
Width	34.6	88	38.2	97
Height	14	35.6	17.9	45.5
Weight	182 lbs / 82.6 kgs		202 lbs / 91.6 kgs	



- Standard Burner IEB-R300
- Burner Size Dia. 11.8 x 4.6 in. [Dia. 30 x 11.7 cm]
- Maximum Capacity 2.6 L / 0.8 Gal.
- Adjustable Ignition System
- Maximum Heat Output 28,000 BTUs / 8.2 kW
- Approx. Burn Time 2 ~ 5 Hours





* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

SOFIA

SMART ETHANOL FIRE TABLE

ECG12

PRODUCT DESCRIPTION

- Body Construction
 - Texture
 - Burner Construction
 - Fuel Type
 - Application
 - Warranty
- Marble Porcelain And Metal Frame
Honed
304 Stainless Steel (11 Gauge Grade Top Panel)
95% Ethanol
Indoor Use Only
2 Years

Available Colors:



ECG12-BB
Bulgaria Black
Bronze Glass
9.9 lbs / 4.5 kgs



ECG12-BW
Bianco White
Blue Glass
9.9 lbs / 4.5 kgs



Porcelain Lid
ONF06-103BB



Porcelain Lid
ONF06-103BW

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-032
39.5x20x0.6cm
15.55x7.87x0.24in. x4pcs



Glass



Porcelain Lid



Canvas Cover



AC-DC Adapter & Plug



Filling Hose & Siphon Bulb Pump




Lift Up Handle



Remote Control



Lid Drawer



Specification	Product		Base Package	
	in.	cm	in.	cm
Length	39.4	100	45.3	115
Width	39.4	100	45.3	115
Height	16.9	43	24.8	63
Weight	262 lbs / 118.9 kgs		350 lbs / 158.9 kgs	



- Smart Burner
 - Burner Size
 - Maximum Capacity
 - Intelligent One-Touch Fuel Refilling
 - Electronic Ignition System
 - Maximum Heat Output
 - Approx. Burn Time
- IEBS-S440 (AC/DC Plug In)
17.3 x 17.3 x 6.6 in. [44 x 44 x 16.8 cm]
6.5 L / 1.7 Gal.
Adjustable Ignition System 27,000 BTUs / 8 kW
5.5 Hours

FIREPLACE SERIES

BIOETHANOL COMBUSTION SYSTEM
INDOOR & OUTDOOR USE
NO SMOKE & ASH
QUICK & EASY INSTALLATION





FUSSEN

ETHANOL FIREPLACE

EBG01

PRODUCT DESCRIPTION

- Body ConstructionHandcrafted Glass-fiber Reinforced Concrete
- TextureSlate
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationBoth Indoor And Outdoor
- Warranty2 Years

Specification	Product		Base Package	
	in.	cm	in.	cm
Length	47.2	120	50.4	128
Width	13.8	35	16.9	43
Height	23.6	60	27.2	69
Weight	154 lbs / 69.6 kgs		191 lbs / 86.7 kgs	



- Standard BurnerIEB-L958
- Burner SizeDia. 37.7 x 9.6 x 4.5in. Dia. 95.8 x 24.3 x 11.5 cm
- Maximum Capacity7.5 L / 2.0 Gal.
- Adjustable Ignition System
- Maximum Heat Output21,000 BTUs / 6.2 kW
- Approx. Burn Time7 Hours



EBG01-SL
Slate Black

Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-034
110x18x0.6cm
43.31x7.09x0.24in. x2pcs



Siphon Manual Pump



Lighter



Lighting Rod



Repair Grout

* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

ZERMATT


ETHANOL FIRE COLUMN

EAG02

PRODUCT DESCRIPTION

- Body Construction
 - Texture
 - Burner Construction
 - Fuel Type
 - Application
 - Warranty
- Handcrafted Glass-fiber Reinforced Concrete
Slate
304 Stainless Steel (11 Gauge Grade Top Panel)
95% Ethanol
Both Indoor And Outdoor
2 Years

Specification	Product		Base Package	
	in.	cm	in.	cm
Length	15.7	40	18.9	48
Width	15.7	40	18.9	48
Height	23.6	60	26.8	68
Weight	88 lbs / 39.9 kgs		94.6 lbs / 42.9 kgs	



- Standard Burner
 - Burner Size
 - Maximum Capacity
 - Maximum Heat Output
 - Approx. Burn Time
- IEB-R250
Dia. 9.8 x 4.5 in. [Dia. 25 x 11.5 cm]
2.5 L / 0.7 Gal.
18,000 BTUs / 5.5 kW
3.5 ~ 5.5 Hours

EAG02-SL
Slate Black

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-038
32x25x0.6cm
12.6x9.84x0.24in. x4pcs



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Repair Grout



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



FUSSEN

ETHANOL FIREPLACE

EBG02

PRODUCT DESCRIPTION

- Body ConstructionHandcrafted Glass-fiber Reinforced Concrete
- TextureHoned
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationBoth Indoor And Outdoor
- Warranty2 Years

Available Colors:



EBG02-SL
Slate Black



EBG02-SG
Space Grey



EBG02-CW
Cream White



Specification	Product		Base Package	
	in.	cm	in.	cm
Length	59	150	62.2	158
Width	17.8	35	16.9	43
Height	43.3	110	46.5	118
Weight	223 lbs / 106 kgs		265 lbs / 120 kgs	

- Standard BurnerIEB-L958
- Burner SizeDia. 37.7 x 9.6 x 4.5in. Dia. 95.8 x 24.3 x 11.5 cm
- Maximum Capacity7.5 L / 2.0 Gal.
- Adjustable Ignition System
- Maximum Heat Output21,000 BTUs / 6.2 kW
- Approx. Burn Time7 Hours

Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-034
110x18x0.6cm
43.31x7.09x0.24in. x2pcs



Siphon Manual Pump



Lighter



Lighting Rod



Repair Grout

* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

ROTTERDAM

ETHANOL FIREPLACE

EBG03

PRODUCT DESCRIPTION

- Body Construction Handcrafted Glass-fiber Reinforced Concrete
- Texture Travertine
- Burner Construction 304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type 95% Ethanol
- Application Both Indoor And Outdoor
- Warranty 2 Years

Available Colors:



EBG03-SL
Slate Black



ECG03-SG
Space Grey



Specification	Product		Base Package	
	in.	cm	in.	cm
Length	47.2	120	50.4	128
Width	13.8	35	16.9	43
Height	43.3	110	46.5	118
Weight	178 lbs / 80 kgs		209 lbs / 94 kgs	



- Standard Burner IEB-L660
- Burner Size Dia. 26 x 9.6 x 4.5 in. Dia.66 x 24.3 x 11.5 cm
- Maximum Capacity 5 L / 1.3 Gal.
- Adjustable Ignition System
- Maximum Heat Output 17,000 BTUs / 5 kW
- Approx. Burn Time 6.5 Hours

Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-036
86x18x0.6cm
33.86x7.09x0.24in. x4pcs



Siphon Manual Pump



Lighter



Lighting Rod



Repair Grout

FIREPLACE SERIES



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



MILANO

ETHANOL FIREPLACE

EBG11

PRODUCT DESCRIPTION

- Body Construction Handcrafted Glass-fiber Reinforced Concrete
- Texture Honed
- Burner Construction 304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type 95% Ethanol
- Application Both Indoor And Outdoor
- Warranty 2 Years

Available Colors:



EBG11-SL
Slate Black



EBG11-SG
Space Grey



EBG11-CW
Cream White



Specification	Product		Base Package	
	in.	cm	in.	cm
Length	47.2	120	50.4	128
Width	13.8	35	16.9	43
Height	39.4	100	42.5	108
Weight	163 lbs / 74 kgs		188 lbs / 85 kgs	



- Standard Burner IEB-L660
- Burner Size Dia. 26 x 9.6 x 4.5 in. Dia.66 x 24.3 x 11.5 cm
- Maximum Capacity 5 L / 1.3 Gal.
- Adjustable Ignition System
- Maximum Heat Output 17,000 BTUs / 5 kW
- Approx. Burn Time 6.5 Hours

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-037
74x18x0.6cm
29.13x7.09x0.24in. x2pcs



Siphon Manual Pump



Lighter



Lighting Rod



Repair Grout

* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

QUEBEC

SMART ETHANOL FIREPLACE

EAP01

PRODUCT DESCRIPTION

- Body ConstructionMarble Porcelain And Metal Frame
- TextureHoned
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationIndoor Use Only
- Warranty2 Years

Available Colors:



EAP01-BB
Bulgaria Black



EAP01-BW
Bianco White

Specification	Product		Base Package	
	in.	cm	in.	cm
Length	17.3	44	22	56
Width	17.3	44	22	56
Height	25	63.5	36.6	93
Weight	121 lbs / 54.8 kgs		143 lbs / 64.8 kgs	



- Smart BurnerIEBS-S440 (AC/DC Plug In)
- Burner Size17.3 x 17.3 x 6.6 in. [44 x 44 x 16.8 cm]
- Maximum Capacity6.5 L / 1.7 Gal.
- Intelligent One-Touch Fuel Refilling
- Electronic Ignition System
- Maximum Heat OutputAdjustable Ignition System 27,000 BTUs / 8 kW
- Approx. Burn Time5.5 Hours

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-035
34x25x0.6cm
13.39x9.84x0.24in. x4pcs



AC-DC Adapter & Plug



Filling Hose & Siphon Bulb Pump



Lift Up Handle



Remote Control



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

TORONTO

SMART ETHANOL FIREPLACE

EBP01

PRODUCT DESCRIPTION

- Body ConstructionMarble Porcelain And Metal Frame
- TextureHoned
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationIndoor Use Only
- Warranty2 Years

Available Colors:



EBP01-BB
Bulgaria Black



EBP01-BW
Bianco White



- Smart BurnerIEBS-L958 (AC/DC Plug In)
- Burner SizeDia. 37.7 x 9.6 x 6.6 in. Dia. 95.8 x 24.3 x 16.8 cm
- Maximum Capacity10 L / 2.6 Gal.
- Intelligent One-Touch Fuel Refilling
- Electronic Ignition System
- Maximum Heat OutputAdjustable Ignition System 24,000 BTUs / 7 kW
- Approx. Burn Time7 Hours

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-034
110x18x0.6cm
43.31x7.09x0.24in.



AC-DC Adapter & Plug



Filling Hose & Siphon Bulb Pump



Lift Up Handle



Remote Control

MINIMAL SERIES

BIOETHANOL COMBUSTION SYSTEM
INDOOR & OUTDOOR USE
NO SMOKE & ASH
QUICK & EASY INSTALLATION



OIA

ETHANOL FIRE COLUMN

EAG01

PRODUCT DESCRIPTION

- Body ConstructionHandcrafted Glass-fiber Reinforced Concrete
- TextureHoned
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationBoth Indoor And Outdoor
- Warranty2 Years



EAG01-SL
Slate Black




EAG01-SG
Space Grey



EAG01-CW
Cream White

Specification	Product		Base Package	
	in.	cm	in.	cm
Length	15.7	40	18.9	48
Width	15.7	40	18.9	48
Height	23.6	60	26.8	68
Weight	88 lbs / 39.9 kgs		94.6 lbs / 42.9 kgs	



- Standard Burner
 - Burner Size
 - Maximum Capacity
 - Maximum Heat Output
 - Approx. Burn Time
- IEB-R250
Dia. 9.8 x 4.5 in. [Dia. 25 x 11.5 cm]
2.5 L / 0.7 Gal.
18,000 BTUs / 5.5 kW
3.5 ~ 5.5 Hours

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-038
32x25x0.6cm
12.6x9.84x0.24in. x4pcs



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Repair Grout



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

BOSTON

ETHANOL FIRE COLUMN

EAG03

PRODUCT DESCRIPTION

- Body ConstructionHandcrafted Glass-fiber Reinforced Concrete
- TextureHoned
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationBoth Indoor And Outdoor
- Warranty2 Years

Available Colors:



EAG03-SL
Slate Black




EAG03-SG
Space Grey



EAG03-CW
Cream White

Specification	Product		Base Package	
	in.	cm	in.	cm
Length	15.7	40	18.9	48
Width	15.7	40	18.9	48
Height	23.6	60	26.8	68
Weight	61 lbs / 28 kgs		69 lbs / 32 kgs	



- Standard Burner
- Burner Size
- Maximum Capacity
- Maximum Heat Output
- Approx. Burn Time

IEB-R250
Dia. 9.8 x 4.5 in. [Dia. 25 x 11.5 cm]
2.5 L / 0.7 Gal.
18,000 BTUs / 5.5 kW
3.5 ~ 5.5 Hours



Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-039



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Repair Grout

NANTUCKET

ETHANOL FIRE BOWL

EAG11

PRODUCT DESCRIPTION

- Body ConstructionHandcrafted Glass-fiber Reinforced Concrete
- TextureHoned
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationBoth Indoor And Outdoor
- Warranty2 Years

Available Colors:



EAG11-BK
Matte Black
Bronze Glass
9.9 lbs / 4.5 kgs




EAG11-SG
Space Grey
Bronze Glass
9.9 lbs / 4.5 kgs



EAG11-CW
Cream White
Blue Glass
9.9 lbs / 4.5 kgs



Specification	Product		1/2 Package Base		2/2 Package Wind Screen	
	in.	cm	in.	cm	in.	cm
Length	26.6	67.5	30.3	77	14.96	38
Width	26.6	67.5	30.3	77	14.96	38
Height	13.8	35	17.1	43.5	11.02	28
Weight	76 lbs / 34.3 kgs		79.15 lbs / 35.9 kgs		7.8 lbs / 3.54 kgs	



- Standard Burner
- Burner Size
- Maximum Capacity
- Maximum Heat Output
- Approx. Burn Time

IEB-R250
Dia. 9.8 x 4.5 in.
[Dia. 25 x 11.5 cm]
2.5 L / 0.7 Gal.
18,000 BTUs / 5.5 kW
3.5 ~ 5.5 Hours

Optional Accessories (Sold Separately)



Stainless Steel Lid
ONF01-124DE

Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-033



Glass



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Hauling Cable
ONR01-005



Repair Grout



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

YORK

ETHANOL FIRE BOWL

EAG14

PRODUCT DESCRIPTION

- Body ConstructionHandcrafted Glass-fiber Reinforced Concrete
- TextureBush Hammered
- Burner Construction304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type95% Ethanol
- ApplicationBoth Indoor And Outdoor
- Warranty2 Years

Available Colors:




EAG14-BK
Matte Black
Bronze Glass
9.9 lbs / 4.5 kgs



EAG14-SG
Space Grey
Bronze Glass
9.9 lbs / 4.5 kgs



Specification	Product		1/2 Package Base		2/2 Package Wind Screen	
	in.	cm	in.	cm	in.	cm
Length	26.8	68	30.3	77	14.96	38
Width	26.8	68	30.3	77	14.96	38
Height	14.2	36	17.9	45.5	11.02	28
Weight	82 lbs / 37 kgs		85.3 lbs / 38.7 kgs		7.72 lbs / 3.5 kgs	



- Standard Burner
- Burner SizeIEB-R250
Dia. 9.8 x 4.5 in.
[Dia. 25 x 11.5 cm]
2.5 L / 0.7 Gal.
18,000 BTUs / 5.5 kW
3.5 ~ 5.5 Hours
- Maximum Capacity
- Maximum Heat Output
- Approx. Burn Time

•Optional Accessories (Sold Separately)



Stainless Steel Lid
ONF01-121DE

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-033



Glass



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Hauling Cable
ONR01-005



Repair Grout

FIRENZE

ETHANOL FIRE BOWL

EAG12 / EAG15



EAG12-SL
Slate Black
Bronze Glass
9.9 lbs / 4.5 kgs



EAG12-SG
Space Grey
Bronze Glass
9.9 lbs / 4.5 kgs



EAG12-CW
Cream White
Blue Glass
9.9 lbs / 4.5 kgs



EAG15-SL
Slate Black
Bronze Glass
9.9 lbs / 3.5 kgs



EAG15-SG
Space Grey
Bronze Glass
9.9 lbs / 3.5 kgs



EAG15-CW
Cream White
Blue Glass
9.9 lbs / 3.5 kgs

• Accessories Available As Below

Standard (Included)



Wind Screen
ONC05-033




Glass



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Repair Grout

EAG12




Hauling Cable
ONR01-005

PRODUCT DESCRIPTION

- Body Construction Handcrafted Glass-fiber Reinforced Concrete
- Texture Honed
- Burner Construction 304 Stainless Steel (11 Gauge Grade Top Panel)
- Fuel Type 95% Ethanol
- Application Both Indoor And Outdoor
- Warranty 2 Years

EAG12

Specification	Product		1/2 Package Base		2/2 Package Wind Screen	
	in.	cm	in.	cm	in.	cm
Length	26.8	68	30.3	77	14.96	38
Width	26.8	68	30.3	77	14.96	38
Height	19.7	50	22.8	58	11.02	28
Weight	76 lbs / 83.8 kgs		89.29 lbs / 40.5 kgs		7.72 lbs / 3.5 kgs	




EAG12

- Standard Burner IEB-R300
- Burner Size Dia. 11.8 x 4.6 in. [Dia. 30 x 11.7 cm]
- Maximum Capacity 2.6 L / 0.8 Gal.
- Adjustable Ignition System
- Maximum Heat Output 28,000 BTUs / 8.2 kW
- Approx. Burn Time 2 ~ 5 Hours

EAG15

Specification	Product		1/2 Package Base		2/2 Package Wind Screen	
	in.	cm	in.	cm	in.	cm
Length	21.3	54	25.2	64	14.96	38
Width	21.3	54	25.2	64	14.96	38
Height	15.6	39.6	19.7	50	11.02	28
Weight	64.2 lbs / 29 kgs		69 lbs / 31.3 kgs		7.72 lbs / 3.5 kgs	



EAG15

- Standard Burner IEB-R250
- Burner Size Dia. 9.8 x 4.5 in. [Dia. 25 x 11.5 cm]
- Maximum Capacity 2.5 L / 0.7 Gal.
- Maximum Heat Output 18,000 BTUs / 5.5 kW
- Approx. Burn Time 3.5 ~ 5.5 Hours



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings



* Product Color May Vary Due to Photographic Lighting Sources or Your Monitor Settings

TORRE

ETHANOL FIRE COLUMN

EAG13 / EAG16 / EAG17



EAG13-SL

Slate Black

Bronze Glass

9.9 lbs / 4.5 kgs

EAG13-SG

Space Grey

Bronze Glass

9.9 lbs / 4.5 kgs

EAG13-CW

Cream White

Blue Glass

9.9 lbs / 4.5 kgs



EAG16-SL

Slate Black

Bronze Glass

9.9 lbs / 3.5 kgs

EAG16-SG

Space Grey

Bronze Glass

9.9 lbs / 3.5 kgs

EAG16-CW

Cream White

Blue Glass

9.9 lbs / 3.5 kgs



EAG17-SL

Slate Black

Bronze Glass

9.9 lbs / 3.5 kgs

EAG17-SG

Space Grey

Bronze Glass

9.9 lbs / 3.5 kgs

EAG17-CW

Cream White

Blue Glass

9.9 lbs / 3.5 kgs

PRODUCT DESCRIPTION

- Body Construction
 - Texture
 - Burner Construction
 - Fuel Type
 - Application
 - Warranty
- Handcrafted Glass-fiber Reinforced Concrete
Honed
304 Stainless Steel (11 Gauge Grade Top Panel)
95% Ethanol
Both Indoor And Outdoor
2 Years

EAG12

Specification	Product		1/2 Package Base		2/2 Package Wind Screen	
	in.	cm	in.	cm	in.	cm
Length	31.8	79	34.3	87	14.96	38
Width	26.8	68	30.3	77	14.96	38
Height	19.7	50	22.8	58	11.02	28
Weight	106 lbs / 48 kgs		118 lbs / 53.5 kgs		7.72 lbs / 3.5 kgs	




- Standard Burner
 - Burner Size
 - Maximum Capacity
 - Adjustable Ignition System
 - Maximum Heat Output
 - Approx. Burn Time
- IEB-R300
Dia. 11.8 x 4.6 in. [Dia. 30 x 11.7 cm]
2.6 L / 0.8 Gal.
28,000 BTUs / 8.2 kW
2 ~ 5 Hours

EAG16

Specification	Product		1/2 Package Base		2/2 Package Wind Screen	
	in.	cm	in.	cm	in.	cm
Length	25.2	64	29.5	75	14.96	38
Width	19.7	50	23.6	60	14.96	38
Height	23.6	60	27.6	70	11.02	28
Weight	77 lbs / 34.8 kgs		86.2 lbs / 39.1 kgs		7.72 lbs / 3.5 kgs	

EAG17

Specification	Product		1/2 Package Base		2/2 Package Wind Screen	
	in.	cm	in.	cm	in.	cm
Length	26.8	60	27.56	70	14.96	38
Width	26.8	50	23.62	60	14.96	38
Height	19.7	43	20.87	53	11.02	28
Weight	59.5 lbs / 27 kgs		64.15 lbs / 29.1 kgs		7.72 lbs / 3.5 kgs	



- Standard Burner
 - Burner Size
 - Maximum Capacity
 - Maximum Heat Output
 - Approx. Burn Time
- IEB-R250
Dia. 9.8 x 4.5 in. [Dia. 25 x 11.5 cm]
2.5 L / 0.7 Gal.
18,000 BTUs / 5.5 kW
3.5 ~ 5.5 Hours

EAG16
EAG17

MINIMAL SERIES

Standard (Included)




Wind Screen
ONC05-033



Siphon Manual Pump



Lighter



Lighting Rod



Extinguish Lid



Repair Grout Glass

• Accessories Available As Below

STANDARD BUILT-IN ETHANOL BURNER KIT

Product Description:

- Indoor & Outdoor Use
- Double-layer Design With Safety Tray
- Sliding Lid Shut Off System



Item Number	IEB-R250	IEB-R300	IEB-R460
Burner Size	Dia. 9.8 x 4.5 in. [Dia. 250 x 115 mm]	Dia. 11.8 x 4.6 in. [Dia. 300 x 117 mm]	Dia. 18.1 x 3.9 in. [Dia. 460 x 99 mm]
Cut-out Size	Dia. 8.3 in. [Dia. 210 mm]	Dia. 10.2 in. [Dia. 260 mm]	Dia. 16.5 in. [Dia. 420 mm]
Net Weight	8.1 lbs / 3.7 kgs	10.6 lbs / 4.8 kgs	25.7 lbs / 11.7 kgs
Fuel Type	95% Ethanol	95% Ethanol	95% Ethanol
Maximum Capacity	2.5 L / 0.7 Gal.	2.6 L / 0.8 Gal.	8 L / 2.1 Gal.
Maximum Heat Output	18,000 BTUs / 5.5 kW	Max. 28,000 BTUs / 8.2 kW Med. 18,000 BTUs / 5.5 kW Min. 10,000 BTUs / 3 kW	Max. 43,000 BTUs / 12.5 kW Med. 25,000 BTUs / 7.3 kW Min. 11,600 BTUs / 3.4 kW
Approx. Burn Time	3.5 ~ 5.5 hours	2 ~ 5 hours	3 ~ 7.5 hours
Fuel Consumption	0.45 - 0.7 L / h	0.5 - 1.3 L / h	1 - 2.6 L / h
Application	Indoor & Outdoor	Indoor & Outdoor	Indoor & Outdoor
Minimum Space	55 m³ / 1942 ft³	82 m³ / 2896 ft³	125 m³ / 4414 ft³
Recommended Room Size	18 m² / 194 ft²	27 m² / 290 ft²	42 m² / 452 ft²
Matching Product List	EAG01 / EAG02 / EAG03 EAG11 / EAG14 / EAP01 EAG15/EAG16/EAG17	ECG03 / ECG04 / ECG07 / ECG08 ECG11 / ECG12 / EAG12 / EAG13	ECG02 / ECG05
Accessories (Included)	Siphon Manual PumpLighterLighting RodExtinguish Lid		



Item Number	IEB-L660	IEB-L958	IEB-L982
Burner Size	26 x 9.6 x 4.5 in. [660 x 243 x 115 mm]	37.7 x 9.6 x 4.5 in. [958 x 243 x 115 mm]	38.7 x 10.5 x 4.5 in. [982 x 266 x 115 mm]
Cut-out Size	23.6 x 7.2 in. [600 x 183 mm]	35.4 x 7.2 in. [898 x 183 mm]	36.3 x 8.1 in. [922 x 206 mm]
Net Weight	25.1 lbs / 11.4 kgs	36.5 lbs / 16.6 kgs	39.6 lbs / 18 kgs
Fuel Type	95% Ethanol	95% Ethanol	95% Ethanol
Maximum Capacity	5 L / 1.3 Gal.	7.5 L / 2.0 Gal.	7.5 L / 2.0 Gal.
Maximum Heat Output	17,000 BTUs / 5 kW	21,000 BTUs / 6.2 kW	21,000 BTUs / 6.2 kW
Approx. Burn Time	6.5 hours	7 hours	7 hours
Fuel Consumption	0.7 - 1.0 L / h	0.8 - 1.1 L / h	0.8 - 1.1 L / h
Application	Indoor & Outdoor	Indoor & Outdoor	Indoor & Outdoor
Minimum Space	50 m³ / 1766 ft³	62 m³ / 2189 ft³	62 m³ / 2189 ft³
Recommended Room Size	17 m² / 183 ft²	21 m² / 226 ft²	21 m² / 226 ft²
Matching Product List	EBG03 / EBG11	ECG06 / EBG01 / EBG02 EBP01	ECG01
Accessories (Included)	Siphon Manual PumpLighterLighting Rod		

SMART BUILT-IN ETHANOL BURNER KIT

Product Description:

- Intelligent One-Touch Fuel Refilling
- Electronic Ignition System
- 5 Adjustable Heat Settings
- Safety Sensors
- WiFi Control Smartphone App (Optional Sold Separately)
- Indoor Use Only



Item Number	IEBS-R460	IEBS-S440
Burner Size	Dia. 18.1 x 6.6 in. [Dia. 460 x 168 mm]	17.3 x 17.3 x 6.6 in. [440 x 440 x 168 mm]
Cut-out Size	Dia. 14.6 in. [Dia. 370 mm]	Dia. 14.6 in. [Dia. 370 mm]
Net Weight	27.3 lbs / 12.4 kgs	28.6 lbs / 13 kgs
Fuel Type	95% Ethanol	95% Ethanol
Maximum Capacity	6.5 L / 1.7 Gal.	6.5 L / 1.7 Gal.
Maximum Heat Output	27,000 BTUs / 8 kW	27,000 BTUs / 8 kW
Approx. Burn Time	5.5 hours	5.5 hours
Fuel Consumption	0.9 - 1.2 L / h	0.9 - 1.2 L / h
Application	Indoor Only	Indoor Only
Minimum Space	80 m³ / 2825 ft³	80 m³ / 2825 ft³
Recommended Room Size	27 m² / 290 ft²	27 m² / 290 ft²
Matching Product List	ECG02 / ECG05	ECG11 / ECG12 / EAP01
Accessories (Included)	 AC-DC Adapter & Plug Filling Hose & Siphon Bulb Pump Lift Up Handle Remote Control	

Item Number	IEBS-L660	IEBS-L958	IEBS-L982
Burner Size	26 x 9.6 x 6.6 in. [660 x 243 x 168 mm]	37.7 x 9.6 x 6.6 in. [958 x 243 x 168 mm]	38.7 x 10.5 x 6.6 in. [982 x 266 x 168 mm]
Cut-out Size	23.6 x 7.2 in. [600 x 183 mm]	35.4 x 7.2 in. [898 x 183 mm]	36.3 x 8.1 in. [922 x 206 mm]
Net Weight	28.6 lbs / 13 kgs	39.6 lbs / 18 kgs	41.8 lbs / 19 kgs
Fuel Type	95% Ethanol	95% Ethanol	95% Ethanol
Maximum Capacity	5 L / 1.3 Gal.	10 L / 2.6 Gal.	10 L / 2.6 Gal.
Maximum Heat Output	18,000 BTUs / 5.5 kW	24,000 BTUs / 7 kW	24,000 BTUs / 7 kW
Approx. Burn Time	6 hours	7 hours	7 hours
Fuel Consumption	0.5 - 0.8 L / h	0.8 - 1.4 L / h	0.8 - 1.4 L / h
Application	Indoor Only	Indoor Only	Indoor Only
Minimum Space	55 m³ / 1942 ft³	70 m³ / 2472 ft³	70 m³ / 2472 ft³
Recommended Room Size	18 m² / 194 ft²	23 m² / 248 ft²	23 m² / 248 ft²
Matching Product List	EBG03 / EBG11	ECG06 / EBG01 / EBG02 EBP01	ECG01
Accessories (Included)	 AC-DC Adapter & Plug Filling Hose & Siphon Bulb Pump Lift Up Handle Remote Control		